

From: [Knittel, Janette](#)
To: ngray@dofnw.com
Subject: RE: checking in - FRP/Container Properties
Date: Thursday, March 24, 2022 8:57:00 AM

Hi Tasya. I cancelled today's check-in. Definitely you should take the time you need to review the draft DER. What are your thoughts for timing of this meeting? Would you want to meet soonish to learn about their assessment of the sediment contamination to use in the pre-CMS conditions report? Or later, with a focus on the shoreline structure and design?

I would like if you or we came up with an agenda for the meeting, including what we want the LDWG team to be ready to explain/discuss, and DOF's specific questions/requests for info. And I imagine they might have technical questions for us too.

Janette

From: Tasya Gray <ngray@dofnw.com>
Sent: Wednesday, March 23, 2022 6:00 PM
To: Knittel, Janette <Knittel.Janette@epa.gov>
Subject: RE: checking in - FRP/Container Properties

Hi Janette,

Sorry for the late response today.

- Yes, groundwater sampling is underway this week and next week.
- Yes, I do have permission from my client to meet but I have not reviewed the DER yet and would appreciate a chance to do so as I expect the primary intent would be to hear from the LDWG team the status of design for our area of the Superfund site so we better understand how to approach in the CMS but that would probably be a more streamlined discussion if we've reviewed their draft report.

Okay by me to reschedule our meetup – the above two bullets were my primary updates for you right now.

Thank you,

Tasya

From: Knittel, Janette <Knittel.Janette@epa.gov>
Sent: Wednesday, March 23, 2022 1:34 PM
To: Tasya Gray <ngray@dofnw.com>
Subject: checking in - FRP/Container Properties

Hi Tasya. I have a conflict for our scheduled check-in tomorrow. I'm happy to reschedule if you'd like to talk about anything. I don't need to meet but I wanted to check on a couple of things:

First, just want to confirm that groundwater sampling is happening this week.

Second, wondering if you have go-ahead to participate in a technical meeting with the LDWG

consultants to gather technical info about the shoreline. Elly said Tom Wang and Kathy Godtfredsen are willing to meet but would prefer to have a LDWG technical person join the meeting too. I know we talked about not having LDWG attend, to prevent attorney presence because that's not what the meeting is meant to be. We can chat about this if you want. If you do have the go-ahead, would you be ready for such a meeting? Elly and I figured you might need some time to review the DER and come up with specific questions or an agenda to cover before we meet with them.

Regards,
Janette

Janette Knittel

U.S. EPA Region 10
Land, Chemicals, and Redevelopment Division
RCRA Corrective Action, Permits, and PCB Section
1200 6th Ave, Suite 155, 15-H04
Seattle, WA 98101
Phone 206-553-0483
Knittel.Janette@epa.gov